

**What is claimed is:**

1. A self-sustained moving support system comprising:  
a database for storing of a sidewalk data and a map  
data; and

5 information processing means connected to a  
communication network for searching the database based on  
moving support information received through the communication  
network, computing a guide route of a sidewalk to a  
destination depending on each disability condition from the  
10 sidewalk data and outputting an electronic map in which the  
guide route is combined with the map data.

2. The self-sustained moving support system according to  
claim 1, wherein the self-sustained moving support system  
15 further comprises a communication terminal connected to the  
communication network to display the electronic map received  
from the information processing means.

3. A self-sustained moving support system comprising:  
20 a database for storing of a sidewalk data and a map  
data;  
information processing means connected to a  
communication network for searching the database based on  
moving support information received through the communication  
25 network, computing a guide route of a sidewalk to a  
destination depending on each disability condition from the  
sidewalk data and outputting an electronic map in which the  
guide route is combined with the map data; and

moving means including a communication terminal connected to the communication network to display the electronic map received from the information processing means.

5     4.     The self-sustained moving support system according to claim 3, wherein the moving means comprises an information measuring unit for collecting attribute information of a moving route.

10    5.     A method of supporting a self-sustained moving comprising the steps of:  
          inputting physical information and a destination from a communication terminal;  
          computing a guide route of a sidewalk according to the  
15    physical information based on the physical information inputted from the communication terminal and sidewalk data stored in a database;  
          combining the computed guide route with a map data stored in the database to output it as an electronic map; and  
20    displaying the electronic map showing the guide route on the communication terminal.

6.     The method of supporting a self-sustained moving according to claim 5, wherein the guide route of the  
25    electronic map displayed on the communication terminal is displayed to designate the sidewalk to be passed.

7.     The method of supporting a self-sustained moving

according to claim 5 or claim 6, wherein the step of computing the guide route includes preferentially computing the sidewalk that has been passed by a plurality of users having similar physical information.

5

8. A method of supporting a self-sustained moving comprising the steps of:

automatically collecting attribute information of the route along which moving means is moved by an information

10 measuring unit;

sending the collected attribute information to information processing means; and

updating the sidewalk data stored in a database based on the received attribute information.

15

9. The method of supporting a self-sustained moving according to claim 8, wherein the step of updating the sidewalk data further comprises the steps of:

20 determining whether the attribute information is an investigated area or not;

assigning the collected attribute information to the sidewalk data of an existing area and updating the sidewalk data stored in the database if the information is the investigated area; and

25 creating a new sidewalk data by a block on the map data, positional information or so on the sidewalk map and storing it to the database if the information is uninvestigated area.

10. A recording medium with record of a computer system-  
implemented program to perform the steps of:

computing a guide route of a sidewalk according to  
physical information and a destination inputted from a  
5 communication terminal based on a sidewalk data stored in a  
database; and

combining the computed guide route with a map data  
stored in the database and outputting it as an electronic map.